

業績紹介（2008 年以前）

【2008 年】

- Junji Wada, Akio Yamasaki, Shuntaro Nagai, Kousuke Yanai, Kouta Fuchino, Chizu Kameda, Haruo Tanaka, Kenichiro Koga, Hiroshi Nakashima, Masafumi Nakamura, Masao Tanaka, Mitsuo Katano, Takashi Morisaki: Regulatory T-cells are possible effect prediction markers of immunotherapy for cancer patients ,Anticancer Research 2008:28:2401-2408
- Nagai S, Nakamura M, Yanai K, Wada J, Akiyoshi T, Nakashima H, Ohuchida K, Sato N, Tanaka M, Katano M:: Gli1 contributes to the invasiveness of pancreatic cancer through matrix metalloproteinase-9 activation ,Cancer Sci 2008:99:1377-1384
- Kenichiro Koga, Masafumi Nakamura, Hiroshi Nakashima, Takashi Akiyoshi, Makoto Kubo, Norihiro Sato, Shoji Kuroki, Masatoshi Nomura, Masao Tanaka, Mitsuo Katano: Novel Link between Estrogen Receptor  $\alpha$  and Hedgehog Pathway in Breast Cancer Anticancer Research 2008:28: 731-740
- Kosuke Yanai, Masafumi Nakamura, Takashi Akiyoshi, Shuntaro Nagai, Junji Wada, Kenichiro Koga, Hirokazu Noshiro, Eishi Nagai, Masazumi Tsuneyoshi, Masao Tanaka, Mitsuo Katano: Crosstalk of hedgehog and Wnt pathways in gastric cancer ,Cancer Letters 2008:263: 145-156
- Takashi Akiyoshi, Masafumi Nakamura, Kosuke Yanai, Shuntaro Nagai, Junji Wada, Kenichiro Koga, Hiroshi Nakashima, Norihiro Sato, Masao Tanaka, Mitsuo Katano:  $\gamma$ -Secretase Inhibitors Enhance Taxane-Induced Mitotic Arrest and Apoptosis in Colon Cancer Cells ,Gastroenterology 2008:134(1): 131-144

【2007 年】

- Masafumi Nakamura, Makoto Kubo, Kosuke Yanai, Yoshiko Mikami, Mio Ikebe, Shntaro Nagai, Koji Yamaguchi, Masao Tanaka, Mitsuo Katano: Anti-patched-1 Antibodies Suppress Hedgehog Signaling Pathway and Pancreatic Cancer Proliferation ,Anticancer Research 2007:27: 3743-3748
- Kosuke Yanai, Shuntaro Nagai, Junji Wada, Naoki Yamanaka, Masafumi Nakamura, Nobuhiro Torata, Hirokazu Noshiro, Masazumi Tsuneyoshi, Masao Tanaka, Mitsuo Katano:

Hedgehog Signaling Pathway is a Possible Therapeutic Target for Gastric Cancer, *Journal of Surgical Oncology* 2007;95(1): 55-62

【2006年】

- T Akiyoshi, M Nakamura, K Koga, H Nakashima, T Yao, M Tsuneyoshi, M Tanaka, M Katano: Gli1, downregulated in colorectal cancers, inhibits proliferation of colon cancer cells involving Wnt signalling activation, *Gut* 2006;55(7): 991-999
- Hiroshi Nakashima, Masafumi Nakamura, Hiroshi Yamaguchi, Naoki Yamanaka, Takashi Akiyoshi, Kenichiro Koga, Koji Yamaguchi, Masazumi Tsuneyoshi, Masao Tanaka, Mitsuo Katano: Nuclear Factor- $\kappa$ B Contributes to Hedgehog Signaling Pathway Activation through Sonic Hedgehog Induction in Pancreatic Cancer, *Cancer Research* 2006;66(14): 7041-7049
- Nakashima H, Nakamura M, Yamaguchi H, Yamanaka N, Akiyoshi T, Koga K, Yamaguchi K, Tsuneyoshi M, Tanaka M, Katano M. Nuclear Factor  $\kappa$ B Contributes to Hedgehog Signaling Pathway Activation through Sonic Hedgehog Induction in Pancreatic Cancer. *Cancer Res.* (in print)
- Yanai K, Nagai S, MD, Wada J, Yamanaka N, Nakamura M, Torata N, Noshiuro H, Tsuneyoshi M, Tanaka M, Katano M. Hedgehog Signaling Pathway is a Possible Therapeutic Target for Gastric Cancer. *J Surgical Oncology* (in press)
- Akiyoshi T, Nakamura M, Koga K, Nakashima H, Yao T, Tsuneyoshi M, Tanaka M, Katano M. Gli1, down-regulated in colorectal cancers, inhibits proliferation of colon cancer cells involving Wnt signaling activation. *GUT* (in print)

【2005年】

- Katano M, Morisaki T, Koga K, Nakamura M, Onishi H, Matsumoto K, Tasaki A, Nakashima H, Akiyoshi T, Nakamura M: Combination therapy with tumor cell-pulsed dendritic cells and activated lymphocytes for patients with disseminated carcinomas. *Anticancer Res.* 25(6A):3771-6. 2005
- Tasaki A, Akiyoshi T, Koga K, Nakashima H, Yamanaka N, Kubo M, Matsumoto K, Kojima M, Tanaka M, Nakamura M, Katano M: Immunohistochemical staining of Hedgehog pathway-related proteins in human thymomas. *Anticancer Res* 25:3697-3702, 2005

- Koga K, Matsumoto K, Akiyoshi T, Kubo M, Yamanaka N, Tasaki A, Nakashima H, Nakamura M, Kuroki S, Tanaka M, Katano M: Purification, characterization and biologic significance of tumor-derived exosomes. *Anticancer Res* 25:3703-3708, 2005
- Katano M, Morisaki T, Koga K, Nakamura M, Onishi H, Matsumoto K, Tasaki A, Nakashima H, Akiyoshi T, Nakamura M: Combination therapy of tumor cell-pulsed dendritic cells and activated lymphocytes for patients with disseminated carcinomas. *Anticancer Res* 25:3771-3776, 2005
- Kubo M, Morisaki T, Tasaki A, Yamanaka N, Nakashima H, Kuroki H, Matsumoto K, Nakamura K, Nakamura M, Katano M. Paclitaxel probably enhances cytotoxicity of natural killer cells against breast carcinoma cells by increasing perforin production. *Cancer Immunol Immunother* 54:468-476,2005
- Nakashima H, Tasaki A, Kubo M, Kuroki H, Matsumoto K, Tanaka M, Nakamura M, Morisaki T, Katano M. Effects of docetaxel on antigen presentation-related functions of human monocyte-derived dendritic cells. *Cancer Immunol Pharmacol* 55:479-487,2005
- Katano M: Hedgehog signaling pathway as a therapeutic target in breast cancer. *Cancer Lett (Review)* 227:99-104,2005

#### 【2004年】

- Matsumoto K, Morisaki T, Kubo M, Kuroki H, Onishi H, Nakamura K, Nakahara C, Kuga H, Baba E, Nakamura M, Hirata K, Tanaka M, Katano M. Exosomes secreted from monocyte-derived dendritic cells support in vitro na<sup>?</sup>ve CD4<sup>+</sup> T cell survival through NF- $\kappa$ B activation. *Cell Immunol* 231:20-29,2004
- Tatsugami K, Eto M, Harano M, Nagafuji K, Omoto K, Katano M, Harada M, Naito S: Dendritic-cell therapy after non-myeloablative stem-cell transplantation for renal-cell carcinoma. *Lancet Oncol* 5:750-752,2004
- Onishi H, Kuroki H, Matsumoto K, Baba E, Sasaki N, Kuga H, Tanaka M, Katano M, Morisaki T: Monocyte-derived dendritic cells that capture dead tumor cells secrete IL-12 and TNF- $\alpha$  through IL-12/TNF- $\alpha$ /NF- $\kappa$ B autocrine loop. *Cancer Immunol Immunother* 53:1093-1100,2004
- Tasaki A, Yamanaka N, Kubo M, Matsumoto K, Kuroki H, Nakamura K, Nakahara C, Ohnishi H, Kuga H, Baba E, Tanaka M, Morisaki T, Katano M: Three-dimensional two-layer collagen matrix gel culture model for evaluating complex biological functions of monocyte-derived dendritic cells. *J Immunol Methods* 287:79-90,2004

- Yamanaka N, Morisaki T, Nakashima H, Tasaki A, Kubo M, Kuga H, Nakahara C, Nakamura K, Noshiro H, Yao T, Tsuneyoshi M, Tanaka M, Katano M: Interleukin-1b enhances invasive ability of gastric carcinoma through nuclear factor-kB activation. Clin Cancer Res 2004;10:1853-1859
- Kubo M, Nakamura M, Tasaki A, Yamanaka N, Nakashima H, Nomura M, Kuroki S, Katano M. Hedgehog signaling pathway is a new therapeutic target for patients with breast cancer. Cancer Res 64:6071-6074,2004
- Kim KT, Ongusaha PP, Hong YK, Kurdistani SK, Nakamura M, Lu KP, Lee SW. Function of Drg1/Rit42 in p53-dependent mitotic spindle checkpoint. J Biol Chem 279(37):38597-602, 2004
- Kuga H, Morisaki T, Nakamura K, Onishi H, Matsuda T, Sueishi K, Tanaka M, Katano M: Construction of a transplantable tissue-engineered artificial peritoneum. Eur Surg Res 36:323-330,2004
- Yamanaka N, Sasaki N, Tasaki A, Nakashima H, Kubo M, Morisaki T, Noshiro H, Yao T, Tsuneyoshi M, Tanaka M, Katano M: Nuclear factor-kB p65 isa prognostic indicator in gastric carcinoma. Anticancer Res 24:1071-1076,2004
- Nakamura K, Morisaki T, Nakahara C, Kuga H, Sueishi K, Tanaka M, Katano M: A novel histoculture drug response assay with a simulated microgravity culture system. Preclinica 2: 1-8, 2004.

#### 【2003年】

- Morisaki T, Matsumoto K, Onishi H, Kuroki H, Baba E, Tasaki A, Kubo M, Nakamura M, Inaba S, Yamaguchi K, Tanaka M, Katano M: Dendritic cell-based combined immunotherapy with autologous tumor-pulsed dendritic cell vaccine and activated T cells for cancer patients: rationale, current progress, and perspectives. Human Cell 16:175-182,2003
- Kubo M, Morisaki T, Tasaki T, Kuroki H, Matsumoto K, Onishi H, Baba E, Katano M: Possible combination of adoptive immunotherapy with Herceptin for patients with HER2-expressing breast cancer. Anticancer Res 2003;23:4443-4450.
- Morisaki T, Matsumoto K, Kuroki H, Kubo M, Baba E, Onishi H, Tasaki T, Nakamura M, Inaba S, Katano M: Combined immunotherapy with intracavitary injection of activated lymphocytes, monocyte-derived dendritic cells and low-dose OK-432 in patients with malignant effusion. Anticancer Res 2003;23:4459-4465.

- Kuroki H, Morisaki T, Matsumoto K, Onishi H, Baba E, Tanaka M, Katano M: OK-432, a streptococcal preparation, is a new maturation factor of monocyte-derived dendritic cells for clinical use. *Cancer Immunology Immunotherapy* 2003;52:561-568.
- Beppu K, Morisaki T, Matsunaga H, Uchiyama A, Ihara E, Hirano K, Kanaide H, Tanaka M, Katano M: Inhibition of interferon-g-activated nuclear factor-kappa B by cyclosporin A: a possible mechanism for synergistic induction of apoptosis by interferon-g and cyclosporin A in gastric carcinoma cells. *Biochem Bioph Res Co* 2003; 305:797-805.
- Nakayama T, Hirano K, Shintani Y, Nishimura J, Nakatsuka A, Kuga H, Takahashi S, Kanaide H: Unproductive cleavage and the inactivation of protease-activated receptor-1 by trypsin in vascular endothelial cells. *Br J Pharmacol* 2003;138(1):121-30.
- Zhang H, Morisaki T, Nakahara C, Matsunaga H, Sato N, Nagumo F, Tadano J, Katano M: PSK-mediated NF- $\kappa$ B inhibition augments docetaxel-induced apoptosis in human pancreatic cancer cells NOR-P1. *Oncogene* 2003;22:2088-2096.
- Okazaki T, Sakon S, Sasazuki T, Sakurai H, Doi T, Yagita H, Okumura K, Nakano H: Phosphorylation of serine 276 is essential for p65 NF- $\kappa$ B subunit-dependent cellular responses. *Biochem Bioph Res Co* 2003;300:807-812.
- Kuga H, Morisaki T, Nakamura K, Onishi H, Uchiyama A, Noshiro H, Tanaka M, Katano M: Interferon- $\gamma$  suppresses transforming growth factor- $\beta$ -induced invasion of gastric carcinoma cells through cross-talk of Smad pathway in a three-dimensional culture model. *Oncogene* 2003;22:7838-7847
- Nakahara C, Morisaki T, Nakamura K, Yamanaka N, Baba E, Wada M, Matsunaga H, Noshiro H, Tanaka M, Katano M: Cyclosporin-A enhances docetaxel-induced apoptosis through inhibition of NF- $\kappa$ B activation in human gastric carcinoma cells. *Clin Cancer Res* 2003;9:5409-5416.
- Tokunou T, Shibata R, Kai H, Ichiki T, Morisaki T, Fukuyama K, Ono H, Iino N, Masuda S, Shimokawa H, Egashira K, Imaizumi T, Takeshita A: Apoptosis induced by inhibition of cyclic AMP response element-binding protein in vascular smooth muscle cells. *Circulation* 2003;108:1246-1252.
- Morisaki T, Katano M: Mitochondria-targeting therapeutic strategies for overcoming chemo-resistance and progression of cancer. *Curr Med Chem* 2003;10:2517-2521.  
Nakayama T, Hirano K, Shintani Y, Nishimura J, Nakatsuka A, Kuga H, Takahashi S, Kanaide H: Unproductive cleavage and the inactivation of protease-activated receptor-1 by trypsin in vascular endothelial cells. *Br J Pharmacol* 2003;138(1):121-30.

- Zhang H, Morisaki T, Nakahara C, Matsunaga H, Sato N, Nagumo F, Tadano J, Katano M: PSK-mediated NF-kappaB inhibition augments docetaxel-induced apoptosis in human pancreatic cancer cells NOR-P1. *Oncogene* 2003;22:2088-2096.

#### 【2002年】

- Ohnishi H et al: Dysfunctional and short-lived subsets in monocyte-derived dendritic cells from patients with advanced cancer. *Clinical Immunology* 2002;105:286-295.
- Nakamura M, Zhou XZ, Kishi S, Lu KP: Involvement of the telomeric protein Pin2/TRF1 in the regulation of the mitotic spindle. *FEBS Lett.* 2002;514(2-3):193-8.
- Ryo A, Liou YC, Wulf G, Nakamura M, Lee SW, Lu KP: PIN1 is an E2F target gene essential for Neu/Ras-induced transformation of mammary epithelial cells. *Mol Cell Biol.* 2002;22(15):5281-95.
- Nakamura K et al: Simulated microgravity culture system for a 3-D carcinoma tissue model. *BioTechniques* 2002;33:1068-1076.
- Saimura et al. Tumor suppression through angiogenesis inhibition by SUIT-2 pancreatic cancer cells genetically engineered to secrete NK4. *Clin Cancer Res* 2002;8:3243-3249.
- Saimura et al. Intraperitoneal injection of adenovirus-mediated NK4 gene suppresses peritoneal dissemination of pancreatic cancer cell line AsPC-1 in nude mice. *Cancer Gene Ther* 2002;9:799-806.
- Sasazuki T, Sawada T, Sakon S, Kitamura T, Kishi T, Okazaki T, Katano M et al: Identification of a novel transcriptional activator, BSAC, by a functional cloning to inhibit tumor necrosis factor-induced cell death. *The Journal of Biological Chemistry* 2002;277:28853-28860.

#### 【2001年】

- Baba E, Takahashi Y, Lichtenfeld J, Tanaka R, Yoshida A, Sugamura K, Yamamoto N, Tanaka Y. Functional CD4 T cells after intercellular molecular transfer of OX40 ligand. *J Immunol* 2001;167:875-883.
- Tada K, Okazaki T, Sakon S, Koburai T, Kurosawa K, Yamaoka S, Hashimoto H, Mak TW, Yagita H, Okumura K, Yeh W-C, Nakano H. Critical roles of TRAF2 and TRAF5 in tumor necrosis factor-induced NF- $\kappa$ B activation and protection from cell death. *J Biol Chem* 2001;28:36530-36534

- Kojima M, Morisaki T, Uchiyama A, Doi F, Mibu R, Katano M, Tanaka M. Association of enhanced cyclooxygenase-2 expression with possible local immunosuppression in human colorectal carcinomas. *Ann Surg Oncol* 2001;8:458-465
- Ryo A, Nakamura M, Wulf G, Liou YC, Lu KP: Pin1 regulates turnover and subcellular localization of beta-catenin by inhibiting its interaction with APC. *Nat Cell Biol.* 2001;3(9):793-801.
- Kishi S, Wulf G, Nakamura M, Lu KP: Telomeric protein Pin2/TRF1 induces mitotic entry and apoptosis in cells with short telomeres and is down-regulated in human breast tumors. *Oncogene* 2001;20(12):1497-508.
- Nakamura M, Zhou XZ, Lu KP: Critical role for the EB1 and APC interaction in the regulation of microtubule polymerization. *Curr Biol.* 2001;11(13):1062-1067.
- Nakamura M, Zhou XZ, Kishi S, Kosugi I, Tsutsui Y, Lu KP: A specific interaction between the telomeric protein Pin2/TRF1 and the mitotic spindle. *Curr Biol.* 2001; 11(19):1512-6.
- Sato N, Mizumoto K, Nakamura M, Maehara N, Minamishima YA, Nishio S, Nagai E, Tanaka M: Correlation between centrosome abnormalities and chromosomal instability in human pancreatic cancer cells. *Cancer Genet Cytogenet* 2001; 126(1):13-9.
- Shono M, Sato N, Mizumoto K, Minamishima YA, Nakamura M, Maehara N, Urashima T, Saimura M, Qian L, Nishio S, Nagai E, Tanaka M: Effect of serum depletion on centrosome overduplication and death of human pancreatic cancer cells after exposure to radiation. *Cancer Lett* 2001;170(1):81-9.
- Shono M, Sato N, Mizumoto K, Maehara N, Nakamura M, Nagai E, Tanaka M: Stepwise progression of centrosome defects associated with local tumor growth and metastatic process of human pancreatic carcinoma cells transplanted orthotopically into nude mice. *Lab Invest* 2001; 81(7):945-52.
- Sasaki N, Morisaki T, :Nuclear factor-kappa B p65 (RelA) transcription factor is constitutively activated in gastric carcinoma tissue. *Clin Cancer Res* 2001;7:4136-4142. Tada K, Okazaki T, Sakon S, Koburai T, Kurosawa K, Yamaoka S, Hashimoto H, Mak TW, Yagita H, Okumura K, Yeh W-C, Nakano H. Critical roles of TRAF2 and TRAF5 in tumor necrosis factor-induced NF- $\kappa$ B activation and protection from cell death. *J Biol Chem* 2001;28:36530-36534
- Kojima M, Morisaki T, Uchiyama A, Doi F, Mibu R, Katano M, Tanaka M. Association of enhanced cyclooxygenase-2 expression with possible local immunosuppression in human colorectal carcinomas. *Ann Surg Oncol* 2001;8:458-465
- Nishitani H, Hirose E, Uchimura Y, Nakamura M, Umeda M, Nishii K, Mori N, Nishimoto T: Full-sized RanBPM cDNA encodes a protein possessing a long stretch of proline and

glutamine within the N-terminal region, comprising a large protein complex. *Gene*. 2001;272(1-2):25-33.

- Kuwahara A, Katano M, Nakamura M, Morisaki T, Miyazaki K, Fujimoto K: Expression of melanoma antigen-encoding gene-1 predicts lymph node involvement in early gastric carcinomas. *Digestive Diseases and Sciences* 2001;46:262-267

#### 【2000年】

- Hao Z, Morisaki T, Hashizume K, Katano M, et al.: Protein-bound polysaccharide PSK inhibits tumor invasiveness by down-regulation of TGF- $\beta$ 1 and MMPs. *Clinical & Experimental Metastasis* 2000; 18: 343-352,
- Hao Z, Morisaki T, Hashizume K, Katano M, et al.: Protein-bound polysaccharide PSK inhibits tumor invasiveness by down-regulation of TGF- $\beta$ 1 and MMPs. *Clinical & Experimental Metastasis* 2000; 18: 343-352,
- Nakamura K, Morisaki T, et al.: Morphometric analysis of regional lymph nodes with and without metastasis from early gastric carcinoma. *Cancer* 2000;88:2438-2442.
- Morisaki T, Beppu K, Katano M, et al: A combination of cyclosporin-A (CsA) and interferon-gamma (IFN- $\gamma$ ) induces apoptosis in human gastric carcinoma cells. *Anticancer Research* 2000;20:3363-3374. *Kojima*
- M, Morisaki T, Katano M, et al.: Lipopolysaccharide increases cyclo-oxygenase-2 expression in a colon carcinoma cell line through nuclear factor- $\kappa$ B activation. *Oncogene* 2000;19:1225-1231.
- Sato N, Mizumoto K, Nakamura M, Tanaka M: Radiation-induced centrosome overduplication and multiple mitotic spindles in human tumor cells. *Exp Cell Res*. 2000;255(2):321-6.
- Sato N, Mizumoto K, Nakamura M, Ueno H, Minamishima YA, Farber JL, Tanaka M: A possible role for centrosome overduplication in radiation-induced cell death. *Oncogene*. 2000;19(46):5281-90.

#### 【1999年】

- Sato N, Mizumoto K, Nakamura M, Nakamura K, Kusumoto M, Niiyama H, Ogawa T, Tanaka M: Centrosome abnormalities in pancreatic ductal carcinoma. *Clin Cancer Res*. 1999 5(5):963-70.



- Kusumoto M, Ogawa T, Mizumoto K, Ueno H, Niiyama H, Sato N, Nakamura M, Tanaka M: Adenovirus-mediated p53 gene transduction inhibits telomerase activity independent of its effects on cell cycle arrest and apoptosis in human pancreatic cancer cells. *Clin Cancer Res.* 1999;5(8):2140-7.
- Uchiyama A, Morisaki T, et al.: Hepatocyte growth factor and invasion-stimulatory activity are induced in pleural fluid by surgery in lung cancer patients. *British Journal of Cancer* 1999;81:721-726.
- Tsukahara Y, Morisaki T. et al.: Phospholipase A2 mediates nitric oxide production by alveolar macrophages and acute lung injury in pancreatitis. *Annals of Surgery* 1999;229:385-392.
- Nakamura K, Morisaki T, et al.: An early gastric carcinoma treatment strategy based on analysis of lymph node metastasis. *Cancer* 1999;85:1500-1505.
- Bai Y-Q, Morisaki T, et al.: Predominant germ-line mutation of the hMSH2 gene in Japanese hereditary non-polyposis colorectal cancer kindreds. *International Journal of Cancer* 1999;82:512-515.
- Ohba T, Nakamura M, Nishitani H, Nishimoto T: Self-organization of microtubule asters induced in *Xenopus* egg extracts by GTP-bound Ran. *Science* 1999; 284(5418):1356-8.